





Retro sofa

Product fact sheet



Retro sofa

4-seater

Overall dimensions (L*W*H):

245x95x83cm

Seat cushions:

3 cushions, 70x63cm

Armrest height:

50cm

Seat height:

46cm

Seat depth:

63cm

Legs:

23cm

Retro sofa

3-seater

Overall dimensions (L*W*H):

225x95x83cm

Seat cushions:

3 cushions, 63x63cm

Armrest height:

50cm

Seat height:

46cm

Seat depth:

63cm

Legs:

23cm

Retro sofa

2-seater

Overall dimensions (L*W*H):

175x95x83cm

Seat cushions:

2 cushions, 70x63cm

Armrest height:

50cm

Seat height:

46cm

Seat depth:

63cm

Legs:

23cm

Retro sofa

Hocker

Overall dimensions (L*W*H):

72x63x46cm

Seat cushions:

1 cushion, 63x63cm

Armrest height:

N/A

Seat height:

N/A

Seat depth:

N/A

Legs:

23cm

FABRIC SPECIFICATIONS

Sneak / Cosy / Juke velvet / Vintage velvet / Corduroy rib / Striped / Velvet corduroy aged

Retro sofa

Sneak

Fabric group:

A (Sneak)



Colours:

Light grey

Fabric covering specifications:

| | |
|-------------------------------------------|--------------------------|
| Product group: | Chenille flatweave |
| Composition faceside: | 100% PES |
| Composition backing: | N/A |
| Coating: | Needle punch |
| Material weight: | 518 g/lm |
| Tariff No.: | 58013600 |
| Abrasion resistance (EN ISO 12947 1 & 2): | 38000 cycles, Martindale |
| Pilling resistance (EN ISO 12945-2): | Class 5, 2000 Rubs |
| Lightfastness (EN ISO B02): | Class 4/5 |

Filling and body:

| | |
|------------------|------------------------------------------------|
| Body: | Wood fiber board, hardwood, hardboard |
| Seat suspension: | Nosag springs |
| Seat filling: | HR 3032 foam + feathers & lazy foam flakes mix |
| Back filling: | Mix of feathers & lazy foam flakes |
| Legs: | Black powder coated metal |

Wash instructions:



Retro sofa

Cosy

Fabric group:

A (Cosy)



Colours:

Beige

Fabric covering specifications:

| | |
|-------------------------------------------|-----------------------------------|
| Product group: | Polyester Polypropyleen flatweave |
| Composition faceside: | 61% PES 39% PP |
| Composition backing: | N/A |
| Coating: | Needle punch |
| Material weight: | 440 g/lm |
| Tariff No.: | 54077300 |
| Abrasion resistance (EN ISO 12947 1 & 2): | 50000 cycles, Martindale |
| Pilling resistance (EN ISO 12945-2): | Class 5, 2000 Rubs |
| Lightfastness (EN ISO B02): | Class 4/5 |

Filling and body:

| | |
|------------------|------------------------------------------------|
| Body: | Wood fiber board, hardwood, hardboard |
| Seat suspension: | Nosag springs |
| Seat filling: | HR 3032 foam + feathers & lazy foam flakes mix |
| Back filling: | Mix of feathers & lazy foam flakes |
| Legs: | Black powder coated metal |

Wash instructions:



Retro sofa

Juke velvet

Fabric group:

A (Juke)



Colours:

Ochre yellow


Fabric covering specifications:

| | |
|-------------------------------------------|----------------------------|
| Product group: | Polyester velvet knitted |
| Composition faceside: | 100% PES |
| Composition backing: | 90% PES 10% CO |
| Bonding: | T/C |
| Material weight: | 560 g/lm |
| Tariff No.: | 60019200 |
| Abrasion resistance (EN ISO 12947 1 & 2): | 100.000 cycles, Martindale |
| Pilling resistance (EN ISO 12945-2): | Class 5, 2000 Rubs |
| Lightfastness (EN ISO B02): | Class 4/5 |

Filling and body:

| | |
|------------------|------------------------------------------------|
| Body: | Wood fiber board, hardwood, hardboard |
| Seat suspension: | Nosag springs |
| Seat filling: | HR 3032 foam + feathers & lazy foam flakes mix |
| Back filling: | Mix of feathers & lazy foam flakes |
| Legs: | Black powder coated metal |

Wash instructions:



FABRIC SPECIFICATIONS

Sneak / Cosy / Juke velvet / Vintage velvet / Corduroy rib / Striped / Velvet corduroy aged

Retro sofa

Vintage velvet

Fabric group:

A (Aquila)



Colours:

Old pink
Petrol blue
Crème white

Fabric covering specifications:

Covering composition: 100% Polyester
Bonding: T/C
Material weight: 580 g/lm
Tariff No.: 60053700
Abrasion resistance (EN ISO 12947 1 & 2): 83.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2): Class 5, 2000 Rubs
Lightfastness (EN ISO B02): Class 4/5

Filling and body:

Body: Wood fiber board, hardwood, hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + feathers & lazy foam flakes mix
Back filling: Mix of feathers & lazy foam flakes
Legs: Black powder coated metal

Wash instructions:



Retro sofa

Corduroy rib

Fabric group:

C (Wave)



Colours:

Crème
Light brown

Fabric covering specifications:

Covering composition: 92% Polyester 8% Nylon
Bonding: Pes/Pa
Material weight: 300 g/lm
Tariff No.: 8501320000
Abrasion resistance (EN ISO 12947 1 & 2): 40.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2): Class 4, 2000 Rubs
Lightfastness (EN ISO B02): Class 4

Filling and body:

Body: Wood fiber board, hardwood, hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + feathers & lazy foam flakes mix
Back filling: Mix of feathers & lazy foam flakes
Legs: Black powder coated metal

Wash instructions:



Retro sofa

Striped yellow/nude

Fabric group:

Special



Colours:

Yellow/nude


Fabric covering specifications:

Covering composition: 45% Linen 55% Polyester
Bonding: N/A
Material weight: 600 g/lm
Tariff No.: 52122310
Abrasion resistance (EN ISO 12947 1 & 2): 54.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2): Class 3/4
Lightfastness (EN ISO B02): Class 4/5

Filling and body:

Body: Wood fiber board, hardwood, hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + feathers & lazy foam flakes mix
Back filling: Mix of feathers & lazy foam flakes
Legs: Black powder coated metal

Wash instructions:



FABRIC SPECIFICATIONS

Sneak / Cosy / Juke velvet / Vintage velvet / Striped / Velvet corduroy aged

Retro sofa

Velvet corduroy aged

Fabric group:

C (Lewis)



Colours:

Gold

Fabric covering

specifications:

| | |
|----------------------------------------------|---------------------------|
| Covering composition: | 100% Polyester |
| Bonding: | T/C |
| Material weight: | 580 g/lm |
| Tariff No.: | 60053700 |
| Abrasion resistance (EN ISO 12947 1 & 2): | 55.000 cycles, Martindale |
| Pilling resistance (EN ISO 12945-2): | Class 5, 2000 Rubs |
| Lightfastness (EN ISO B02): | Class 4/5 |

Filling and body:

| | |
|------------------|---------------------------------------------------|
| Body: | Wood fiber board, hardwood, hardboard |
| Seat suspension: | Nosag springs |
| Seat filling: | HR 3032 foam + feathers & lazy foam flakes mix |
| Back filling: | Mix of feathers & lazy foam flakes |
| Legs: | Black powder coated metal |

Wash instructions:

