

BRUT SOFA

Product fact sheet



Connecting parts



Hook Pin

For all product codes and corresponding prices, please visit our website.

Brut sofa

Filling and body:

Body:

Wood fiber board, pinewood,
hardwood, hardboard

Seat suspension:

Nosag springs

Seat filling:


HR 3032 foam + SG25 foam
covered with dacron cotton wool
150 g/m²

Back filling:

SG1818 foam

Legs:

Black plastic



Brut sofa

Element divan left

Overall dimensions (L/D*W*H):

154x71x147 cm

Combination options:

Only as a left end element

Armrest height:


58 cm

Seat height:

44 cm

Seat depth:

107 cm



Brut sofa

Element divan right

Overall dimensions (L/D*W*H):

154x71x147 cm

Combination options:

Only as a right end element

Armrest height:


58 cm

Seat height:

44 cm

Seat depth:

107 cm



Brut sofa

Element left

Overall dimensions (L/D*W*H):

154x71x105 cm

Combination options:

Only as a left end element

Armrest height:


58 cm

Seat height:

44 cm

Seat depth:

64 cm



Brut sofa

Element right

Overall dimensions (L/D*W*H):

154x71x105 cm

Combination options:

Only as a right end element

Armrest height:

58 cm

Seat height:



44 cm

Seat depth:


64 cm

BRUT SOFA


Combine your couch - inspiration




Brut sofa
Element
left





Brut sofa
Element
right



Brut sofa
Element
divan left



Brut sofa
Element
divan right



FABRIC SPECIFICATIONS

For all product codes and corresponding prices, please visit our website.

Linen blend / Royal velvet

Brut sofa
Linen blend

Colours:

Taupe



Fabric covering specifications:

Composition faceside:	60% Cotton, 40% Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	24.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 5

Brut sofa
Royal velvet

Colours:

Magnolia, Green
Espresso, Caramel
Cream



Fabric covering specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 4-5

Care instructions:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.