



BRUT SOFA

Product fact sheet

For all product codes and corresponding prices, please visit our website.




Connecting parts



Hook



Pin



Brut sofa

Element divan left

Overall dimensions (L/D*W*H):

154x71x147 cm

Combination options:

Only as a left end element

Armrest height:


58 cm

Seat height:

44 cm

Seat depth:

107 cm



Brut sofa

Element divan right

Overall dimensions (L/D*W*H):

154x71x147 cm

Combination options:

Only as a right end element

Armrest height:


58 cm

Seat height:

44 cm

Seat depth:

107 cm



Brut sofa

Element left

Overall dimensions (L/D*W*H):

154x71x105 cm

Combination options:

Only as a left end element

Armrest height:


58 cm

Seat height:

44 cm

Seat depth:

64 cm



Brut sofa

Element right

Overall dimensions (L/D*W*H):

154x71x105 cm

Combination options:

Only as a left end element

Armrest height:

58 cm

Seat height:

44 cm

Seat depth:

64 cm

Brut sofa

Filling and body:

Body:

Wood fiber board, pinewood, hardwood, hardboard

Seat suspension:

Nosag springs

Seat filling:

HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m²

Back filling:



SG1818 foam

Legs:


Black plastic

BRUT SOFA


Combine your couch - inspiration




**Brut sofa
Element
left**





**Brut sofa
Element
right**



**Brut sofa
Element
divan left**



**Brut sofa
Element
divan right**



FABRIC SPECIFICATIONS

Linen blend / Royal velvet

For all product codes and corresponding prices, please visit our website.

Brut sofa

Linen blend

Colours:

Taupe



Fabric covering

specifications:


Composition faceside:	60% Cotton, 40% Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance [EN ISO 12947 1 & 2]:	24.000 cycles, Martindale
Pilling resistance [EN ISO 12945-2]:	Class 4-5
Lightfastness [EN ISO B02]:	Class 5

Brut sofa

Royal velvet

Colours:

Magnolia, Green
Espresso, Caramel
Cream



Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance [EN ISO 12947 1 & 2]:	40.000 cycles, Martindale
Pilling resistance [EN ISO 12945-2]:	Class 4-5
Lightfastness [EN ISO B02]:	Class 4-5

Care instructions:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.



Save the Date
For ALEXIS &
OSCAR'S 2022
WEDDING
October 14, 2022
10:00 AM - 12:00 PM
12:00 PM - 1:00 PM
1:00 PM - 2:00 PM
2:00 PM - 3:00 PM
3:00 PM - 4:00 PM
4:00 PM - 5:00 PM
5:00 PM - 6:00 PM
6:00 PM - 7:00 PM
7:00 PM - 8:00 PM
8:00 PM - 9:00 PM
9:00 PM - 10:00 PM
10:00 PM - 11:00 PM
11:00 PM - 12:00 AM

'It was fearless, organized chaos.'



Save the Date
For ALEXIS &
OSCAR'S 2022
WEDDING
October 14, 2022
10:00 AM - 12:00 PM
12:00 PM - 1:00 PM
1:00 PM - 2:00 PM
2:00 PM - 3:00 PM
3:00 PM - 4:00 PM
4:00 PM - 5:00 PM
5:00 PM - 6:00 PM
6:00 PM - 7:00 PM
7:00 PM - 8:00 PM
8:00 PM - 9:00 PM
9:00 PM - 10:00 PM
10:00 PM - 11:00 PM
11:00 PM - 12:00 AM